

Faretti
Spot lamps

- 226 FR 6001
FR 6002
FR 6002/HA
FR 6010
FR 6011
FR 6011/HA
- 228 LP 882
LP 883
LP 883/HA
FR 6024
FR 6024/HA
- 230 FR 6022
FR 6022/HA
FR 6013
FR 6014
FR 6014/HA
- 232 FR 6023
FR 6023/HA
FR 6016
FR 6017
FR 6017/HA



FR 6001-6002-6002/HA


226 design
M & M

Faretto in vetro stampato
Colori: cristallo

Pressed glass recessed downlighter
Colours: crystal

FR 6001
*

Kg 0,3




Colori / colours



FR 6002 FR 6002/HA

**

Kg 0,6



Lampadine / Bulbs

* GY 6,35 o/or GU 4 ø 35,3mm
1X35W 12V o/or 1X35W 12V
= 0/OR =

** GY 6,35 o/or GU 5,3 ø 51mm
1X50W 12V o/or 1X50W 12V
= 0/OR =

Classe III IP20 F CE

*** G9
1X60W 230V

= 0/OR =
Classe II IP20 F CE



FR 6010-6011-6011/HA

design
M & M


Faretto in vetro stampato e satinato
Colori: cristallo

Pressed glass recessed downlighter, with satin finish
Colours: crystal

FR 6010

*

Kg 0,5




Colori / colours



FR 6011

**

Kg 0,65



Lampadine / Bulbs

* GY 6,35 o/or GU 4 ø 35,3mm
1X35W 12V o/or 1X35W 12V
= 0/OR =

** GY 6,35 o/or GX 5,3 ø 51 mm
1X50W 12V o/or 1X50W 12V
= 0/OR =

Classe III IP20 F CE

*** G9
1X60W 230V

= 0/OR =
Classe II IP20 F CE




LP 882-883-883/HA

228 design
M & M

Faretto in vetro stampato, interno satinato
Colori: cristallo satinato

Pressed glass recessed downlighter with satin finish inside
Colours: satin crystal



Colori / colours

cristallo
crystal

Lampadine / Bulbs

* GY 6,35 o/or GU 4 ø 35,3mm
1X35W 12V o/or 1X35W 12V
O/OR

Classe III IP20

*** G9
1X60W 230V

Classe II IP20




FR 6024-6024/HA

design
Paolo De Lucchi

Faretto in vetro stampato
Colori vetro interno: cristallo satinato,
ambra satinato, acquamarina satinato
Colori vetro esterno: cristallo trasparente

Pressed glass recessed downlighter
Inner glass colours: satin crystal,
satin amber, satin aquamarine
Colour outside glass: transparent crystal

FR 6024 FR 6024/HA
Kg 1,2



Colori / colours

cristallo
crystal
ambra
amber
acquamarina
aquamarine

Lampadine / Bulbs

* GY 6,35 o/or GX 5,3 ø 51mm
1X50W 12V o/or 1X50W 12V
O/OR

Classe III IP20

** G9
1X60W 230V

Classe II IP20



FR 6022-6022/HA

230 design

Paolo De Lucchi

Faretto in vetro stampato

Colori vetro interno: cristallo satinato, ambra satinato, acquamarina satinato

Colori vetro esterno: cristallo trasparente


Pressed glass recessed downlighter

Inner glass colours: satin crystal, satin amber, satin aquamarine

Colour outside glass: transparent crystal

FR 6022 FR 6022/HA
* **

Kg 1,1



Colori / colours

- cristallo crystal
- ambra amber
- acquamarina aquamarine

Lampadine / Bulbs

* GY 6,35 o/or GX 5,3 ø 51mm
1X50W 12V o/or 1X50W 12V



Classe III IP20

** G9
1X60W 230V



Classe II IP20



FR 6013-6014-6014/HA

design

M & M

Faretto in vetro stampato

Colori: cristallo


Pressed glass recessed downlighterfinish

Colours: crystal

FR 6013

*

Kg 0,35




Colori / colours

- cristallo crystal

FR 6014 FR 6014/HA

**

Kg 0,85



Lampadine / Bulbs

* GY 6,35 o/or GU 4 ø 35,3mm
1X35W 12V o/or 1X35W 12V



** GY 6,35 o/or GX 5,3 ø 51 mm
1X50W 12V o/or 1X50W 12V



Classe III IP20

*** G9
1X60W 230V



Classe II IP20



231



FR 6023-6023/HA


232 design
Paolo De Lucchi

Faretto in vetro stampato
Colori vetro interno: cristallo satinato,
ambra satinato, acquamare satinato
Colori vetro esterno: cristallo trasparente

Pressed glass recessed downlighter
Inner glass colours: satin crystal, satin amber,
satin aquamarine
Colour outside glass: transparent crystal

FR 6023 FR 6023/HA
* **

Colori / colours



- cristallo
crystal
- ambra
amber
- acquamarina
aquamarine

Lampadine / Bulbs

* GY 6,35 o/or GX 5,3 ø 51mm
1X50W 12V o/or 1X50W 12V
□ O/OR □
Classe III IP20 ▽ CE

** G9
1X60W 230V
□
Classe II IP20 ▽ CE




FR 6016-6017-6017/HA

design
M & M

Faretto in vetro stampato
Colori: cristallo

Pressed glass recessed downlighter
Colours: crystal

FR 6016 FR 6017 FR 6017/HA
* ** ***
Kg 0,45 Kg 0,85



Colori / colours

- cristallo
crystal

Lampadine / Bulbs

* GY 6,35 o/or GU 4 ø 35,3mm
1X35W 12V o/or 1X35W 12V
□ O/OR □
Classe III IP20 ▽ CE

** GY 6,35 o/or GX 5,3 ø 51 mm
1X50W 12V o/or 1X50W 12V
□ O/OR □
Classe III IP20 ▽ CE

*** G9
1X60W 230V
□
Classe II IP20 ▽ CE